

CHIEF GOVERNMENT CHEMIST LABORATORY AGENCY

PRICE LIST GUIDELINE

JULY 2023



DOCUMENT CONTROL AND APPROVAL

Guideline code	CGCLA/DAHRPPR/GD/PL/01
Section	Department of Administration, Human Resource, Planning, Policy and Research.
Title	Price List Guideline
Effective date	03/07/2023
Version	00

NB: The Controlled Document shall be available in CGCLA Network Server.



TABLE OF CONTENTS

FO	KEW	/ORD III
TE	RMS	AND ABBREVIATIONS
1.	INT	TRODUCTION1
2.	VIS	ION, MISSION AND CORE VALUES1
2	2.1	Vision1
2	2.2	Mission1
2	2.3	CGCLA core values
3.	FUI	NCTIONS OF CGCLA2
4.	FEE	S AND CHARGE3
5.	EM	ERGENCIES
6.	FAS	ST TRACK SERVICES
7.	SUE	SSIDIZED PRICE FOR TRADITIONAL MEDICINES
8.	PRI	CE LIST REVIEW4
9.	CO	ST FOR ANALYSIS5
	FO	OD SAMPLES5
	PHA	ARMACEUTICAL SAMPLES17
	TRA	ADITIONAL MEDICINE21
	IND	DUSTRIAL, ENVIRONMENTAL SAMPLES AND OCCUPATIONAL HEALTH SAMPLES . 22
	FO	RENSIC SCIENCE (FORENSIC AND TOXICOLOGICAL SAMPLES)
	FOF	RENSIC SCIENCE (Forensic chemistry samples)
	OTI	HER TYPES OF SAMPLES
	SAN	MPLE PREPARATION AND PROCESSED SAMPLES FOR INSTRUMENTAL ANALYSIS 39
	SAN	ИPLING40
	SWA	ABBING40
	RES	EARCH40
	TRA	AINING AND FIELD, CONSULTATION, OR STUDY TOUR40
	SUB	SSIDIZED PRICE FOR TRADITIONAL MEDICINES41



2023

FOREWORD

The Chief Government Chemist Laboratory Agency (CGCLA) is committed to ensuring the

highest standards of analytical testing and scientific services in Zanzibar. As a regulatory and

referral laboratory, we provide accurate, reliable, and timely analyses across various sectors,

including food, forensic, pharmaceuticals, microbiology and traditional medicines.

This Price List serves as a transparent guide for stakeholders, clients and partners, outlining

the costs of laboratory services offered by CGCLA. Our pricing structure reflects the

technical expertise, advanced methodologies and quality assurance measures to meet

national and international standards.

We continuously strive to enhance our services, ensuring accessibility and affordability while

upholding scientific integrity and regulatory compliance. This document will be periodically

reviewed and updated to reflect changes in analytical requirements, operational costs, and

emerging scientific advancements.

We appreciate the trust and collaboration of our clients and stakeholders in supporting our

mission to safeguard public health, environmental safety and consumer protection through

quality laboratory services. This price list guideline has the approval of the Advisory Board

and shall be adhered to implicitly.

Dr. FARID MZEE MPATANI

CHIEF GOVERNMENT CHEMIST

CHIEF GOVERNMENT CHEMIST LABORATORY AGENCY (CGCLA)

ZANZIBAR

Ш



TERMS AND ABBREVIATIONS

ASTM	American Standard for Testing Materials
BOD	Biochemical Oxygen Demand
CGCLA	Chief Government Chemist Laboratory Agency
COD	Chemical Oxygen Demand
DNA	Deoxyribose Nucleic Acid
Foreign	A resident of a country who is not a citizen of Tanzania.
FTIR	Fourier Transform Infra-Red
FTNIR	Fourier Transform Near Infra-Red
GC	Gas Chromatography
GC-MS	Gas Chromatography Mass Spectrometer/Mass Spectrometer
HMF	Hydro Methyl Furfural
ICUMSA	International Commission for Uniform Methods of Sugar Analysis
KF	Karl Fischer
Local	A person who officially resides within the administrative area of Tanzania
MP-AES	Microwave Plasma Atomic Emission Spectrometry
PCR	Polymerase Chain Reaction
TLC	Thin Layer Chromatography
TZS	Tanzanian Shillings
USD	United States Dollar
UV-VIS	Ultra Violet Visible Spectroscopy



1. INTRODUCTION

The Chief Government Chemist Laboratory Agency (CGCLA) is an important government Agency responsible for ensuring quality, safety and compliance in the analysis of food, microbiological, chemicals, forensic sciences, DNA, pharmaceuticals and traditional medicine samples. Our laboratory operates with modern equipment and follows nationally and internationally recognized standards to provide accurate and reliable analysis results.

This Price List provides a comprehensive overview of the fees for various laboratory services offered by CGCLA. Our pricing structure is based on the complexity of testing, sample type, and turnaround time, ensuring affordability while maintaining accuracy and efficiency. CGCLA are committed to providing transparent and efficient services to support public health, consumer safety and industrial compliance.

2. VISION, MISSION AND CORE VALUES

2.1 Vision

To be a center of excellence for quality, reliable, affordable analytical laboratory services by promoting health, social well-being to entire populations and environmental interventions.

2.2 Mission

To provide quality and cost effective laboratory services to all sectors through provision of excellence analytical services in effective, efficient, and sustainable manner for the purpose of protecting human health, environment and for execution of justice.



2.3 CGCLA core values

Honesty	This is emphasized by strong work ethics				
Integrity	CGCLA will act with highest honor with the public and will commit to				
	do what it said				
Accountability	Each of us is responsible for our words, our actions, and our results				
Social	A strong relationship with stakeholders and the community at large that				
Responsibility	recognizes the mutual interest				
Team spirit	The management and staff will work together as team. Every employee				
	must be considered as an individual but as integral part of the Agency				
Confidentiality	CGCLA will respect confidential information entrusted by clients and				
	ensures that sensitive information obtained during testing processes is				
	protected and not disclosed to unauthorized parties				
Transparency	CGCLA will involves openness, accountability, and clear				
	communication in all aspects of the agency's operations				

3. FUNCTIONS OF CGCLA

The laboratory performs the following functions as stipulated by the Act No. 10 of 2011:-

- i. To carry out toxicology testing and forensic testing of illicit drugs;
- ii. To carry out tests of food, beverages, and traditional medicine, on statutorily required samples to determine the compliance with quality and prescribed standards and testing on industrial and consumer chemicals, and chemical products;
- iii. To carry out inspection and sampling over samples related to occupational health or environmental pollution;
- iv. To carry out research on any subject related to the functions of the laboratory;
- v. To manage, control, and register industrial and consumer chemicals in accordance with the relevant laws;
- vi. To regulate laboratories to ensure that they are in compliance with the prescribed standards:



- vii. To carry out or coordinate DNA testing and provide an expert opinion as circumstances may require and keep a database of DNA tests;
- viii. To perform such other functions as the Minister may assign to it or which are in the promotion and furtherance of the functions and objectives of the Act.

4. FEES AND CHARGE

The Chief Government Chemist Laboratory Agency (CGCLA) provides a range of analytical services, including forensic science, chemical and environmental analysis, food and traditional medicines. The fees for these services are outlined in their official price list and regulated under the Government Chemist Laboratory Agency Act No.10 of 2011. The fees and charges shall be paid in Tanzania Shillings for local and US dollar for foreigner base on Bank of Tanzania (BOT) exchange rate base on the date of service agreement, these prices are exclusive of Value Added Tax (VAT).

Moreover, the Advisory Board may upon the advice of the Chief Government Chemist Laboratory Agency, exempt, change or vary fees and charges in force at any time.

5. EMERGENCIES

The Emergency Sample is any sample submitted for laboratory analysis that requires immediate or expedited analysis due to the urgency of the situation usually linked to public health, legal proceedings environmental hazards, human life and safety. This can include poisoning cases, forensic investigations, disease outbreaks, environmental hazards and counterfeit drugs or adulterated food products. The charges for emergency services will be charged depending on the cost of situation.

6. FAST TRACK SERVICES

The Fast Track Services "Express" are designed to expedite the processing and analysis of critical samples when rapid results are essential. This service plays a pivotal role in



ensuring the receiving sample priority without compromising the quality and integrity of the analysis, these charges will be charged twice of the normal price.

7. SUBSIDIZED PRICE FOR TRADITIONAL MEDICINES

The Chief Government Chemist Laboratory Agency (CGCLA) offers subsidized laboratory analysis services for traditional medicines to support small income Traditional Health Practitioners in producing safe and effective medicines. These subsidized services are available under specific conditions, requiring approval and recommendation from the Traditional and Alternative Medicines Registrar or District Coordinators;

- i. Application forms for the subsidized pricing can be obtained from the Traditional and Alternative Medicines Council.
- ii. It's important to note that providing false information during the application process is an offense and may result in the requirement to pay full analysis charges.

8. PRICE LIST REVIEW

This price list shall be reviewed at any time deemed appropriate by the Advisory Board.



9. COST FOR ANALYSIS

	TYPE OF SAMPLE TYPE OF ANALYSIS	TYPE OF		COS	OST	
SAMPLE CATEGORY		TYPE OF ANALYSIS	Local	Foreign		
	SAMPLE		Tsh	Usd		
FOOD SAMPLES		Physical examination	10,000	5		
1000 SAIVII EES		pН	10,000	5		
		Acidity	25,000	12		
		Sugar Content	25,000	12		
		Preservative Each	50,000	25		
		Brix	15,000	8		
	Non Alcoholic Beverages	Caffeine	50,000	25		
		Quinine	50,000	25		
		Vitamin C	50,000	25		
		Sweetener	50,000	25		
		Carbon Dioxide	25,000	12		
		Food Colour	50,000	25		
		Metals by each MP-AES	100,000	50		
		Microbiological Examination	on .			
		Coliform count	50,000	25		
		Total plate count	35,000	18		
		Escherichia coli	50,000	25		
		Staphylococci spp	70,000	35		
		Yeast and Mould	50,000	25		
	Eaum antad	Physical examination	10,000	5		
	Fermented	pH	10,000	5		
	Products	Flavour by GC-MS	200,000	100		



Bitterness	60,000	30
Fixed Acidity	40,000	20
Volatile Acidity	40,000	20
Total Solids	15,000	8
Reducing Sugar	35,000	18
Tannin	25,000	12
Free Sulphur	35,000	18
Specific Gravity	20,000	10
Ash Content	50,000	25
Carbon Dioxide	25,000	12
Alcohol Content by		
GC-MS	150,000	75
Alcohol Content by		
Refractometer	15,000	8
Preservative each	50,000	25
Non Sugar Solids	35,000	18
Methanol	30,000	15
Starch	45,000	22
Microbiological examin	ation	1
Total viable aerobic cou	int 35,000	18
Coliform count	50,000	25
Escherichia coli	50,000	25
Stapylococci spp	70,000	35
Salmonella spp	100,000	50
Yeast and moulds	50,000	25
Acetic acid bacteria in 1	100ml 70,000	35
Lactic acid bacteria in 10	00ml 70,000	35



		Physical Examination	10,000	5
		Moisture Content	35,000	18
		Milk Fat	45,000	22
		Curd	45,000	22
		рН	10,000	5
		Specific Gravity	20,000	10
		Acidity	25,000	12
		Solubilty	20,000	10
		Butter Fat	45,000	22
		Milk Solids	30,000	15
		Water Content	45,000	22
		Ash Content	50,000	25
	Diary and Diary	Lactose Content	50,000	25
	Products	Butter Salt	45,000	22
	rroducts	Metals - each by MP-AES	100,000	50
		Protein	60,000	30
		Casein	60,000	30
		Antibiotic Residues by GC-MS	200,000	100
		Pesticide Residues by GC-MS	200,000	100
		Total Solids	15,000	8
		Non Solid Fat	35,000	18
		Mycotoxins	200,000	100
		Preservative each	50,000	25
	Phosphate Test	50,000	25	
		Colour Added	50,000	25
		Albumin Test	35,000	18
		Freezing Point	35,000	18



	Sugar in Milk	35,000	18
	Fat Acid Profile	45,000	22
	Refractive Index	15,000	8
	Physical Examination	10,000	5
	Moisture by Refractometer	15,000	8
	Moisture by Oven	35,000	18
	pH	10,000	5
	Alkaloid	10,000	5
	Polarization	50,000	25
	Reducing Sugar	35,000	18
	Sulphur Dioxide	100,000	50
	Brix	15,000	8
	Refractive Index	15,000	8
	Colour (ICUMSA) by UV -Vis	50,000	25
Sugars and	Relative Density	20,000	10
Honey	Total Ash	50,000	25
	Conductivity Ash	50,000	25
	Metals each by MP-AES	100,000	50
	Hydromethylfurfural (HMF)	100,000	50
	Diastase Activity	50,000	25
	Water Insoluble Matter	45,000	22
	Total Nitrogen	85,000	42
	Proline	85,000	42
	Acidity	25,000	12
	Sucrose	35,000	18
	Lactose	35,000	18
	Antibiotic Residues by GC-MS	200,000	100



	Pesticide Residues by GC-MS	200,000	100
	Dextrose	35,000	18
	Fructose	35,000	18
	Glucose	35,000	18
	Fieche's test	35,000	18
	Microbiological examination		l
	Total plate count	35,000	18
	Escherichia coli	50,000	25
	Salmonella spp	100,000	50
	Coliform count	50,000	25
	Staphylococci aureus	70,000	35
	Yeast and moulds	50,000	25
Payment per litre	0.5-10 Liters	5000	3
	Physical Examination	10,000	5
	Insect Damage	20,000	10
	Heat Damaged Grain	20,000	10
	Coloured Grain	20,000	10
	Discoloured Grain	20,000	10
Cornels Cornel	Glutein	35,000	18
Cereals, Cereal Products and	Moisture Content	35,000	18
Pulses	рН	10,000	5
ruises	Sieve Test	25,000	12
	Acidity	25,000	12
	Potassium Bromate Test	35,000	18
	Colour Test	50,000	25
	Foreign Matter	15,000	8
	O O	ŕ	



Damaged grain	15,000	8
Filth	15,000	8
Paddy grain	15,000	8
Inorganic matter	15,000	8
Organic matter	15,000	8
Paddy Grain	15,000	8
Ash Content	50,000	25
Protein	85,000	42
Pesticide Residues by GC-MS	200,000	100
Total Fat	50,000	25
Total Carbohydrate	45,000	22
Acid Insoluble Ash	60,000	30
Water soluble Ash	50,000	25
Urease Activity Test	50,000	25
Riboflavin	50,000	25
Nicotinic Acid	50,000	25
Vitamin	50,000	25
Antioxidant	50,000	25
Starch Content	50,000	25
Preservative Each	50,000	25
Fibre	85,000	42
Metals each by MP-AES	100,000	50
Diastate Activity	50,000	25
Atropine	45,000	22
Mycotoxin by GC-MS	200,000	100
Glycosidic Cyanide	200,000	100
Talc	35,000	18



	Microbiological examination		
	Total plate count	35,000	18
	Clostridium perfrigens	70,000	35
	Salmonella spp	100,000	50
	Yeast and moulds	50,000	25
	Escherichia coli spp	50,000	25
	Staphylococci spp	70,000	35
	Enterobactericease	70,000	35
	Bacillus cereus	70,000	35
	Coliforms	50,000	25
	Physical Examination	10,000	5
	Moisture Content	35,000	18
	рН	10,000	5
	Water Insoluble Matter	45,000	22
	Matter Insoluble in Acid	50,000	25
	Chlorides	35,000	18
Edible	Calcium	35,000	18
Common Salt	Copper	35,000	18
	Magnesium	35,000	18
	Metals each by MP-AES	100,000	50
	Sulphates	35,000	18
	Alkalinity	45,000	22
	Fluorides	35,000	18
	Iodine Content	50,000	25
	Physical examination	10,000	5
Fats and Oils	Refractive Index	15,000	8
	Matter Volatile at 105°C	35,000	18



	Insoluble Impurities	35,000	18
	Soap Test	20,000	10
	Moisture Content	35,000	18
	Metals - each by MP-AES	100,000	50
	Relative Density	20,000	10
	Saponification Value	50,000	25
	Unsaponifiable Matter	50,000	25
	Iodine Value	50,000	25
	Free Fat Acids	45,000	22
	Arachidic Acid	35,000	18
	Melting Point	45,000	22
	Clarity Test	20,000	10
	Halphen Test	20,000	10
	Bandoin Test	20,000	10
	Hexabromine Test	20,000	10
	Polybromine Test	20,000	10
	Bromine Test	20,000	10
	Chlorides	35,000	18
	Iron	35,000	18
	Copper	35,000	18
	Gossypolin	30,000	15
	Peroxide Value	45,000	22
	Acid Value	25,000	12
	p-Anisidine Value	45,000	22
	Colour (Tintometer)	50,000	25
	Fatty Acid Profile by GC-MS	200,000	100
	l .		



		T	1	
		Physical Examination	10,000	5
		pH	10,000	5
		Moisture Content	35,000	18
		Water Soluble Ash	50,000	25
		Alkalinity of Insoluble Ash	50,000	25
		Microscopic Examination	35,000	18
		Starch	45,000	22
		Sugar Content	15,000	8
		Fats	70,000	35
		Volatile Oils	40,000	20
Tea	, Coffee,	Ash Content	50,000	25
Cocc	oa, Herbs	Non Volatile Extracts	40,000	20
and	d Spices	Acid Insoluble Ash	60,000	30
		Metals - each by MP-AES	100,000	50
		Extraneous Matter	45,000	22
		Crude Fibre	45,000	22
		Melting Point	45,000	22
		Refractive Index	15,000	8
		Alcohol Extract	50,000	25
		Water Extract	40,000	20
		Chlorides	35,000	18
		Caffeine	50,000	25
		Mycotoxin by GC-MS	200,000	100
		Microbiological Examination	1	1
		Total plate count	35,000	18
		Coliforms count	50,000	25
		Escherichia coli spp	50,000	25
1		I and the second	1	1



•			
	Salmonella spp	100,000	50
	Clostridia spp	70,000	35
	Shigella spp in 25g	70,000	35
	Yeast and Moulds	50,000	25
	Physical Examination	10,000	5
	Moisture Content	35,000	18
	рН	10,000	5
	Sugar Content	25,000	12
	Acidity	25,000	12
	Specific Gravity	20,000	10
	Brix	15,000	8
	Metals - each by MP-AES	100,000	50
Fruits, Jams,	Protein	60,000	3
Chill, Tomato	Carbohydrates	45,000	22
and Tomato	Total Dissolve Solids	35,000	18
Products	Sodium Chloride	35,000	18
	Ash Content	50,000	25
	Alcohol Content by GC-MS	150,000	75
	Alcohol Content by Refractometer	15,000	8
	Preservative	50,000	25
	Colour Added	50,000	25
	Artificial Sweetener	50,000	25
	Starch	45,000	22
	Microbiological Examination	1	
	Coliforms	50,000	25
	Yeast and moulds	50,000	25
	Salmonella spp	100,000	50



		Escherichia coli spp	50,000	25
		Clostridium perfrigens	70,000	35
		Listeria monocytogenes	70,000	35
		Total plate count	35,000	18
		Physical Examination	10,000	5
		Protein	85,000	42
		Moisture Content	35,000	18
		Total Volatile Bases	45,000	22
		Thiobarbuturic Acid	45,000	22
		Free Fatty Acids	45,000	22
		Peroxide Value	30,000	15
		Carbohydrates	45,000	22
		Preservatives	50,000	25
		Colour Added	50,000	25
	Meat and Meat	Metals - each by MP-AES	100,000	50
1	Products	Mycotoxin GC-MS	200,000	100
	rioducis	Ash Content	50,000	25
		Phosphorous	35,000	18
		Hydroxyproline	50,000	25
		Nitrites	35,000	18
		Nitrates	35,000	18
		Starch	45,000	22
		Fats	45,000	22
		Pesticide Residues by GC-MS	200,000	100
		Antibiotic Residues by GC-MS	200,000	100
		Precipitin Test	80,000	40
		Lean Meat Content	50,000	25



Staphylococci spp 70,000 3 Campylobacter 70,000 3 Clostridium Perfregins 70,000 3 Listeria Monocytogenes 70,000 3	8 5 5 5 5 6 7 7 8 7
Campylobacter 70,000 3 Clostridium Perfregins 70,000 3 Listeria Monocytogenes 70,000 3	5 5 5 60
Clostridium Perfregins 70,000 3 Listeria Monocytogenes 70,000 3	5 5 60
Listeria Monocytogenes 70,000	5
	0
Colmonalla con 100 000 F	
Salmonella spp 100,000	5
Coliforms 50,000 2	
Escheriachia coli spp 50,000 2	25
Physical Examination 10,000	5
Total Volatile Bases 45,000 2	2
Trimethyl Amine 45,000 2	2
Indole 45,000 2	2
Histamine 45,000 2	2
Boric Acid 45,000 2	2
Preservative Each 50,000 2	25
	0
Fish and Fish Ash Content 50,000 2	25
Protein 85,000 4	-2
Microbiological examination	
Total plate count 35,000	8
Staphylococci aureus 70,000	5
Salmonella in 25g 100,000	0
Shigella spp in 25g 70,000	5
Coliforms 50,000 2	25
Escheriachia coli spp 50,000 2	25
DNA for Food Genetic Profile 440,000 22	20
Samples	



		Physical Examination	10,000	5
PHARMACEUTICAL SAMPLES		Moisture Content	35,000	18
		Colour Test	50,000	25
		Bulk Density	20,000	10
		Residual solvent	35,000	18
		Impurities	35,000	18
		Solubility	20,000	10
		pH	10,000	5
		Melting / Boiling Point	50,000	25
		Assay of active ingredient & re	elative substan	ce:
		Metals - each by MP-AES	100,000	50
		UV Visible	80,000	40
	Starting (Raw)	FTIR/IR/UATR	100,000	50
	Materials	TLC	80,000	40
		GC-MS	250,000	125
		Titration	40,000	20
		Microbiological Examination		
		Coliforms	60,000	30
		Yeast and Moulds	60,000	30
		Salmonella spp	100,000	50
		Escherichia coli spp	80,000	40
		P. aeruginosa	80,000	40
		Endotoxin	150,000	75
		Colony form	60,000	30
		Total plate count	50,000	25
		Staphylococcus aureus	80,000	40



	Physical Examination	10,000	5
	Solubility	20,000	10
	Uniformity of Weight	25,000	12
	Uniformity of content	25,000	12
	Hardness Test	15,000	8
	Thickness Test	15,000	8
	Friability Test	45,000	22
	Colour Test	50,000	25
	Melting/ boiling Point	50,000	25
	Moisture by KF	70,000	35
	Moisture by distillation	50,000	25
	Moisture by oven	35,000	18
Drugs a	nd Particle Size	30,000	15
cosmetics	(All Leakage test	20,000	10
dosage fo	rms) Clarity	20,000	10
	рH	10,000	5
	Dissolution by UV VIS	80,000	40
	Dissolution by GC-MS	250,000	125
	Density	15,000	8
	Relative density	20,000	10
	Viscosity	20,000	10
	Refractive Index	15,000	8
	Stability	15,000	8
	Cracking test	15,000	8
	Extrudability	15,000	8
	Spray Pattern	15,000	8
	Spreadability	15,000	8
	J		



Surface activity	30,000	15
Foreign particles	25,000	12
Preservative each	80,000	40
Disintegration/Crushing		
strength	50,000	25
Assay of Active Ingredient ar	nd Related Sub	stances:
UV VIS	50,000	25
MP-AES	200,000	100
Titration	50,000	25
GC-MS	200,000	100
TLC	50,000	25
FTIR/IR	45,000	22
Metals each by MP-AES	100,000	50
Microbiological Examination	<u> </u>	
Total plate count	50,000	25
Coliform count	60,000	30
Yeast and moulds count	60,000	30
Escherichia coli	70,000	35
Pseudomonas aeruginosa	80,000	40
Salmonella	100,000	50
Endotoxin	150,000	75
Colony forms	50,000	25
Staphylococcus aureus	80,000	40



	Toxic Chemicals		
	Aluminium	50,000	25
	Total Chlorine	30,000	15
	Copper	50,000	15
	Fluoride	30,000	15
	Lead	50,000	25
	Nitrate as (Ni)	30,000	15
	Sulphate	30,000	15
	Zinc	50,000	25
	Antimony	50,000	25
	Arsenic	50,000	25
	Barium	50,000	25
	Berylium	50,000	25
Dialysis wate	r Cadmium	50,000	25
	Chromium	50,000	25
	Mercury	50,000	25
	Selenium	50,000	25
	Silver	50,000	25
	Thallium	50,000	25
	Electrolytes	1 1	
	Calcium	30,000	15
	Magnesium	30,000	15
	Potassium	30,000	15
	Sodium	30,000	15
	Microbiological examina	tion	
	Colony forms	60,000	30
	Endotoxin	150,000	75



TRADITIONAL		Physical examination	10,000	5
MEDICINE		Phytochemical (Qualitative test)	10,000	5
		Chemical compositions by GC-MS	200,000	100
		Moisture Content	35,000	18
		Mycotoxins by GC-MS	200,000	100
		Total ash	50,000	25
		Alcohol insoluble extract	50,000	25
		Metals each by MP-AES	100,000	50
		Pesticide Residues by GC-MS	200,000	100
		Dissolution by GC-MS	200,000	100
		Disintegration	50,000	25
Plant and	Hardness & friability	60,000	30	
	Herbal	Uniformity of content and mass	50,000	25
		рН	10,000	5
		Antimicrobial preservative		
		content	50,000	25
		Antioxidant preservative content	50,000	25
		Viscosity	20,000	10
		Redispersibility	15,000	8
		Formation of precipitation	15,000	8
	Clarity	20,000	10	
	Homogeneity	20,000	10	
	Suspendability	15,000	8	
		Consistency	20,000	10
		Particle size distribution	20,000	10
		Softening	15,000	8



		Microbiological Examination		
		Yeast and moulds	50,000	25
	_	Escherichia coli	50,000	25
		Shigella spp	70,000	35
		Aerobic bacteria	35,000	18
		Salmonella spp	100,000	50
		Clostridia spp	70,000	35
		Enteobacteria and certain gram		
		negative bacteria	70,000	35
INDUSTRIAL,		Physical Examination	10,000	5
ENVIRONMENTA		рН	10,000	5
L SAMPLES AND OCCUPATIONAL		Colour Test	20,000	10
HEALTH SAMPLES		Alkalinity	30,000	15
		Temperature	10,000	5
		Salinity	20,000	10
	Drinking	Conductivity	20,000	10
	Water, portable	Turbidity	20,000	10
	water, sea	Total Suspended Solids	20,000	10
	water, sea water and	Total Dissolved Solids	20,000	10
	swimming	Total Hardness	30,000	15
	pools	Ammoniacal Nitrogen	45,000	22
	pools	Hydrocarbons by GC	100,000	50
		Metals - each by MP-AES	100,000	50
		Metals - each by COD	30,000	15
		Sulphides	30,000	15
		Cyanide Test	40,000	20
		Phenolic Compounds	100,000	50
		Sulphides	30,000	15



Sulphates	30,000	15
Chlorine	30,000	15
Chlorides	35,000	18
BOD	90,000	45
COD	60,000	30
Pesticide Residues by GC-MS	150,000	75
Free chlorine	30,000	15
Dissolved Oxygen	30,000	15
Silica	30,000	15
Nitrites	30,000	15
Flourides	30,000	15
Total chlorine	30,000	15
Microbiological Examination		
Total viable count at 22°C	35,000	18
Total viable count at 37°C	35,000	18
Total Coliforms	50,000	25
Escherichia coli	50,000	25
Staphylococci spp	70,000	35
Sulphite reducing anaerobes	70,000	35
Pseudomonas aeruginosa	70,000	35
Streptococcus faecalis	70,000	35
Shigella	70,000	35
Salmonella	100,000	50
Enterococcus spp	70,000	35
Giardia	70,000	35
Cryptosporidium	70,000	35
Legionella spp	150,000	75



	Physical Examination	10,000	5
	рН	10,000	5
	Conductivity	20,000	10
	Alkalinity	30,000	15
	Odour	10,000	5
	Cyanide Test	40,000	20
	Phenolic Compounds	100,000	50
	Colour	10,000	5
	Turbidity	20,000	10
	Total Dissolved Solids	20,000	10
	Total Suspended Solids	20,000	10
	Total Hardness	30,000	15
	Sulphides	30,000	15
Waste Wat	er Silicates	30,000	15
	Metals - each by MP-AES	100,000	50
	Metals - each by COD	30,000	15
	Total Phosphates	45,000	22
	Ammoniacal Nitrogen	45,000	22
	Total Nitrogen	45,000	22
	Sulphates	30,000	15
	Fluorides	30,000	15
	Settleable Solids	30,000	15
	Salinity	20,000	10
	Nitrates	30,000	15
	Nitrites	30,000	15
	Pesticide Residues	150,000	75
	Dissolved Oxygen	30,000	15





	Physical Examination	10,000	5
	Sulphates	30,000	15
	Nitrogen Content	60,000	30
Commonit	Chlorides	35,000	18
Composit	Metals - each by MP-AES	100,000	50
Manure	Pesticide Residues by GC/GC-MS	150,000	75
	Lassaigne Test	90,000	45
	FTIR/UATR	50,000	25
	GC-MS	150,000	75
	Microbiological Examination		
	Escherichia Coli	50,000	25
	Salmonella spp	100,000	50
	Feacal streptococci	70,000	35
	Total coliforms	50,000	25
	Physical Examination	10,000	5
	Moisture Content	20,000	10
	Metal - each by MP-AES	100,000	50
	Total Ash	40,000	20
	Acid Insoluble Ash	40,000	20
	Total Phosphorus	45,000	22
	Total Potassium	45,000	22
Fertilizer	Ammoniacal Nitrogen	45,000	22
	Total Nitrogen	45,000	22
	Total Sulphates	45,000	22
	Microbiological Examination	,	,
	Escherichia Coli	50,000	25
	Salmonella spp	100,000	50
	Feacal streptococci	70,000	35
	Total coliforms	50,000	25
<u> </u>		<u> </u>	l



		Physical Examination	10,000	5
		Moisture Content	20,000	10
	Mosquito Coils	Odour	10,000	5
	Mosquito Cons	Pyrethrin	150,000	75
		Lassaigne Test	50,000	25
		Pesticide Residues	100,000	50
		Physical Examination	10,000	5
		pН	10,000	5
		Colour Test	10,000	5
		Fineness	15,000	8
		Abrassion	15,000	8
		Foaming Power	20,000	10
	Tooth Paste	Homogenity / Consistency	20,000	10
		Flourides	40,000	20
		Metals - each by MP-AES	100,000	50
		Chlorides	35,000	18
		Flavour	50,000	25
		Sweetener	40,000	20
		Tooth content by GC-MS	150,000	75
	Sea Water	Physical Examination	10,000	5
	Damaged	Salinity	20,000	10
	Samples	Chlorides	35,000	18
	Soap,	Physical Examination	10,000	5
	Detergents and	Moisture Content	25,000	12
	Shampoo	pН	10,000	5



		Active ingredient	80,000	40
		Free Caustic Alkali	35,000	18
		Total Free Alkali	35,000	18
		Mater Insoluble Alcohol	35,000	18
		Mater Insoluble Water	35,000	18
		Chloride	35,000	18
		Total Fatty Matter	35,000	18
		Free Fatty Acid	35,000	18
		Metals - each by MP-AES	100,000	50
		Unsaponifiable Matter	35,000	18
		Saponifiable Matter	35,000	18
		Volatile Matter	25,000	12
		Silicates	40,000	20
		Borates	40,000	20
		Total Phosphates	45,000	22
		Anionic Detergent	35,000	18
		Non Soap Detergent	35,000	18
		Physical Examination	10,000	5
		рН	10,000	5
		Moisture Content	25,000	12
		Acidity	35,000	18
Cosme	etics and	Alkalinity	30,000	15
Cre	eams	Sulphates	30,000	15
		Iodine Value	35,000	18
		Organic Matter	45,000	22
		Hydroquinone	55,000	28
		Peroxide Value	35,000	18



	Mineral Oil by GC-MS	150,000	75
	Chlorides	35,000	18
	Phenolic Compounds	100,000	50
	Total Fatty Content	35,000	18
	Metal- each by MP-AES	100,000	50
	Thermal stability	35,000	18
	Alcoholic Compounds	100,000	50
Petroleum Produ	ucts		
	Physical Examination	10,000	5
	Odour	10,000	5
	Colour – ASTM	10,000	5
	Water Content	10,000	5
	Sediments	30,000	15
	Chlorides	30,000	15
	Sulphated Ash	35,000	18
(a) Liquid	Sulphur Content	40,000	20
Petroleum	Acidity	50,000	25
Products	Alkalinity	25,000	12
(Diesel, Petrol,	Metals - each by MP-AES	100,000	50
Inflammable	Kinematic Viscosity	30,000	15
Kerosine, Oils)	Specific Gravity	50,000	25
	Flash Point	45,000	22
	Fire Point	45,000	22
	Cloud Point	45,000	22
	Pour Point	45,000	22
	Distillation Range	45,000	22
	Octane Number	45,000	22



	Carbon Residue	75,000	38
	Saponification Value	35,000	18
	Unsaponifiable Matter	35,000	18
	Physical Examination	10,000	5
	Odour	10,000	5
	Kinemetic Viscosity	45,000	22
	Colour – ASTM	10,000	5
	UV-Flourescence	45,000	22
	Free Alkalis	35,000	18
(b) Colid	Free Fatty Acids	35,000	18
(b) Solid Petroleum	Sulphur Content	45,000	22
products	Acidity	35,000	18
(Petroleum	Sulphated Ash	45,000	22
Jelly, Grease	Metals - each by MP-AES	100,000	50
Jeny, Grease	Saponification Value	35,000	18
	Unsaponifiable Matter	35,000	18
	Microbiological Examination	<u> </u>	
	Total plate count	35,000	18
	Coliforms	50,000	25
	Escherichia coli spp	50,000	25
	Staphylococci spp	50,000	25
	Physical Examination	10,000	5
	Ester Value	45,000	22
Waxes	Ester- Acid Ratio	45,000	22
waxes	Specific Gravity	20,000	10
	Iodine Value	35,000	18
	Flash Point	45,000	22



	Fire Point	45,000	22
	Cloud Point	45,000	22
	Dielectric Constant	45,000	22
	Physical Examination	10,000	5
	Odour	10,000	5
	Free Fatty Acids	35,000	18
Tallow	Acidity	35,000	18
Tallow	Peroxide Value	35,000	18
	Iodine Value	35,000	18
	Saponification Value	35,000	18
	Unsaponifiable Matter	35,000	18
	Physical Examination	10,000	5
	Silicates	45,000	22
Lime,	Loss on Ignition	20,000	10
Limestone	Acid Insoluble Matter	35,000	18
Gypsum and Cement	Metals - each by MP-AES	100,000	50
	Chlorides	35,000	18
Cemen	Water of Crystallization	45,000	22
	Impurities	30,000	15
	Sulphates	30,000	15
	Physical Examination	10,000	5
	Loss on heating	20,000	10
Tobacco and	Free from Moulds and Weevils	10,000	5
Tobacco	Total Alkaloids	50,000	25
Products	Total Nitrogen	45,000	22
1100000	Total Ash	40,000	20
	Total Chlorides	35,000	18
	Nicotine Content	150,000	75



		Physical Examination	10,000	5
		Colour Test	30,000	15
		Lassaigne Test	50,000	25
	Pesticides	FTIR/IR	50,000	25
	resticiaes	UV Visible	50,000	
		Assay of Active Ingredient:		
		GC	150,000	75
		Metals - each by MP-AES	100,000	50
		Physical Examination	10,000	5
		Moisture Content	25,000	12
		Solubility	10,000	5
		Colour Test	20,000	10
		Odour	10,000	5
		Melting Point	15,000	8
	Alkalis and	Flame Test	15,000	8
	Salts	Action on Heat	15,000	8
		Assay:		
		Potentiometric	35,000	18
		Gravimetric	30,000	15
		UV Visible	50,000	25
		GC-MS	150,000	75
		Metals - each by MP-AES	100,000	50
		Physical Examination	10,000	5
		Colour Test	20,000	10
	Mineral Acids	Solubility	15,000	8
		Specific Gravity	15,000	8
		Odour	10,000	5
İ				



Potentiometric 35,000 18			Assay:			
Metals - each by MP-AES 100,000 50			Potentiometric	35,000	18	
Physical Examination 10,000 5			Gravimetric	30,000	15	
Organic solvents / Compounds Paints and Dyes Paints and Dyes Organic solvents / Decific Gravity Possible Particle Size Opacity Test Dyson Bases of Solventy Dyson Bases of Specific Gravity Decific Gravity Dyson Bases of Specific Gravity Dyson Bases of Dyson Bases of Specific Gravity Dyson Bases of Dyson Bases			Metals - each by MP-AES	100,000	50	
Organic solvents / Compounds Specific Gravity 15,000 8 FTIR/IR 15,000 8 FTIR/IR 50,000 25 Assay: GC-MS 150,000 75 UV Visible 50,000 25 Physical Examination 10,000 5 Solubility 15,000 8 Colour Test 20,000 10 Odour 10,000 5 Melting Point 15,000 8 Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Physical Examination	10,000	5	
Organic solvents / Compounds Boiling Point 15,000 8 Specific Gravity 15,000 8 Miscibility Test 15,000 8 FTIR/IR 50,000 25 Assay: GC-MS 150,000 75 UV Visible 50,000 25 Physical Examination 10,000 5 Solubility 15,000 8 Colour Test 20,000 10 Odour 10,000 5 Melting Point 15,000 8 Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Odour	10,000	5	
Organic solvents / Compounds Specific Gravity 15,000 8 Miscibility Test 15,000 8 FTIR/IR 50,000 25 Assay: GC-MS 150,000 75 UV Visible 50,000 25 Physical Examination 10,000 5 Solubility 15,000 8 Colour Test 20,000 10 Odour 10,000 5 Melting Point 15,000 8 Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Colour Test	30,000	15	
Specific Gravity 15,000 8		Ones : : :	Boiling Point	15,000	8	
Miscibility Test 15,000 8		_	Specific Gravity	15,000	8	
Paints and Dyes Positive For Provided			Miscibility Test	15,000	8	
Paints and Dyes Dye		Compounds	FTIR/IR	50,000	25	
DV Visible 50,000 25			Assay:			
Physical Examination 10,000 5 Solubility 15,000 8 Colour Test 20,000 10 Odour 10,000 5 Melting Point 15,000 8 Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			GC-MS	150,000	75	
Paints and Dyes Paints and Dyes Paints and Dyes Particle Size			UV Visible	50,000	25	
Paints and Dyes Positive Test 20,000 10 Odour 10,000 5 Melting Point 15,000 8 Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Physical Examination	10,000	5	
Odour 10,000 5 Melting Point 15,000 8 Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Solubility	15,000	8	
Paints and Dyes Melting Point 15,000 8 Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Colour Test	20,000	10	
Particle Size 25,000 12 Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Odour	10,000	5	
Paints and Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Melting Point	15,000	8	
Dyes Opacity Test 15,000 8 UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15		D	Particle Size	25,000	12	
UV-Flourescence 40,000 20 Specific Gravity 15,000 8 Viscosity 45,000 22 Assay: Gravimetric 30,000 15			Opacity Test	15,000	8	
Viscosity 45,000 22 Assay: 30,000 15		Dyes	UV-Flourescence	40,000	20	
Assay: Gravimetric 30,000 15			Specific Gravity	15,000	8	
Gravimetric 30,000 15			Viscosity	45,000	22	
			Assay:			
Potentiometric 35,000 18			Gravimetric	30,000	15	
			Potentiometric	35,000	18	



	Metals - each by MP-AES	100,000	50
	GC-MS	150,000	75
	UV Visible	50,000	25
	Physical Examination	30,000	15
	рН	10,000	5
C-!!	Sulphate	30,000	15
Soil samples	Iron	30,000	15
	Calcium	30,000	15
	Manganase	30,000	15
	Nitrate	30,000	15
	Zinc	30,000	15
	Conductivity	20,000	10
	Texture	25,000	12
	Moisture Content	25,000	12
	Total Oraganic Carbon	45,000	22
	Pesticides residues by GC-MS	150,000	75
	Potassium	30,000	15
	Physical Examination	10,000	5
	Solubility	15,000	8
	Melting Point	15,000	8
	Elasticity	35,000	18
Rubber and	Solubility	15,000	8
Plastic	Melting Point	15,000	8
Chemicals	Elasticity	35,000	18
	Assay:-		
	GC-MS	150,000	75
	FTIR/IR	50,000	25
	Metals - each by MP-AES	100,000	50



FORENSIC	Blood Stain	Physical examination	60,000	30
SCIENCE (FORENSIC	on Clothes	Kastle Mayers test	30,000	15
AND	and Weapons	DNA preliminary Test using kits	30000	15
TOXICOLOGIC AL SAMPLES)	Human	Physical examination	60,000	30
7 CE STAVIL ELS)	Remains and	Microscopic examination	30,000	15
	Hairs	Precipitin test	60,000	30
	Blood and	Physical examination	60,000	30
	Saliva	Kastle Mayers test	30,000	15
	Jailva	DNA preliminary Test using kits	30000	15
	Spermatozoa	Microscopic Examination	30,000	15
	identification	Acid phosphatase test	30000	15
	Stained Clothes	Physical examination	60,000	30
		UV- Fluorescence Test	20,000	10
		Walkers Test	30,000	15
	Paternity Samples	Genetic counseling	30,000	15
		Paternity test (DNA profiling) - from Advocate	150,000	75
		Paternity test (DNA profiling) -		
		from Social welfare	100,000	50
		Physical examination	60,000	30
	Criminal	Preliminary test	100,000	50
	Samples	DNA extraction	80,000	40
	Jampies	PCR Analysis	60,000	30
		DNA profiling by Genetic Analyzer	100,000	50
	Kinship	Genetic counseling	30,000	15
	Samples	DNA profiling by Genetic analyzer	150,000	75



Disaster Victim Identificatio	Physical examination	60,000	30
Samples	DNA profiling by Genetic Analyzer	80,000	40
Sex Identification Samples	n DNA profiling by Genetic Analyzer	80,000	40
	Physical examinations	60,000	30
Other DN	DNA extraction	80,000	40
analysis	PCR Analysis	60,000	30
	DNA profiling by Genetic Analyzer	100,000	50
	Physical Examination	10,000	5
Viscera,	Preservative qualitative test	60,000	30
Stomach	Reinsch Test	60,000	30
Content, Vomitus,	Cyanide Test	50,000	25
Food	Glucose Test	20,000	10
remains,	Poisons Isolation	150,000	75
Contamina d food,	Pesticides residues	100,000	50
Aspirates ar	d UV- Visible	50,000	25
Utensils	GC-MS	200,000	100
	Metals each by MP-AES	100,000	50
	Alcohol Titrimetric	10,000	5
Blood, Urine	Poison isolation	20,000	10
		20,000	10
and Vitreou Humor	Lassaigne's Test	50,000	25
	TLC	75,000	35
	GC	200,000	100



		GC-MS	200,000	100			
		UV/VIS	50,000	25			
		FTIR/IR	50,000	25			
		Metal each by MP-AES	100,000	50			
FORENSIC		Physical examination	60,000	30			
SCIENCE (Forensic		Colour Test	60,000	30			
chemistry samples)		Microscopic Examination	30,000	15			
	Seized	Assay of active ingredient and r	elated substa				
	Materials	TCL	75,000	35			
		GC	200,000	100			
		GC-MS	200,000	100			
		UV/VIS	50,000	25			
		Physical examination	60,000	30			
		Colour Test	60,000	30			
	Samples	Assay of active ingredient and related substances:					
	Contaminate	TLC	75,000	35			
	d with Drug	GC	200,000	100			
	of Abuse	GC-MS	200,000	100			
		UV/VIS	50,000	25			
		FTIR/IR	50,000	25			
		Physical examination	60,000	30			
		Sulphates	30,000	15			
	Gun powder	Sulphites	30,000	15			
	Residue	Nitrates	30,000	15			
		Nitrites	30,000	15			
		FTIR/IR	50,000	25			



OTHER TYPES OF SAMPLES	Evalorings	Physical Examination	10,000	5	
		Solubility	20,000	10	
		Nitrates	35,000	18	
		Ammonium	35,000	18	
	Explosives and	Nitroglycerine	35,000	18	
	Explosion	Nitrocellulose	35,000	18	
	Materials	Assay of active ingredient and related s	ated substan	substances:	
	Materials	TLC	60,000	30	
		UV- Vis	50,000	25	
		GC-MS	200,000	100	
		FTIR/IR	50,000	25	
	Arrow	Physical Examination	60,000	30	
	Arrow	Colour Test	60,000	30	
		Oubain Test	60,000	30	
		Physical examination	60,000	30	
		chemical test	60,000	30	
	Arson	Assay of active ingredient and related substances:			
		GC	200,000	100	
		GC-MS	200,000	100	
		Physical examination	60,000	30	
	Counterfeit	Chemical test	60,000	30	
	and forgery	Abrasive Test	20,000	10	
	dia loigery	FTIR	50,000	25	
		UV fluorescence	20,000	10	
	Paints, Flakes	Physical examination	20,000	10	
	and Smears	Solubility	20,000	10	



		Assay of active ingredient and related substances:		
		TLC	60,000	30
		FTIR	50,000	25
		Metal each by MP-AES	100,000	50
		GC-MS	200,000	100
	Glass	Physical examination	20,000	10
	Glass	Refractive index	60,000	30
		Physical examination	20,000	10
	Soil, Debris	Solubility	20,000	10
	and Dust	Fineness test	20,000	10
	and Dust	Metals each by MP-AES	100,000	50
		Microscopic examination	30,000	15
SAMPLE	Sample	Microwave digestion system	50,000	25
PREPARATION AND PROCESSED SAMPLES FOR	preparation	Extraction	50,000	0 25
	preparation	Clean-up	50,000	25
INSTRUMENTAL ANALYSIS		Direct Instrumental Analysis:-		
744761313		GC	75,000	38
	C 1	FTIR/IR	50,000	25
	Clean	UV – Visible	50,000	25
	Residues /	Metals - each by MP-AES	100,000	50
	Concentrates	MP-AES	100,000	50
		Real time PCR	60,000	30
		Genetic analyzer	80,000	40
		GC-MS	200,000	100



OTHER CHARGES

		COST		
	DESCRIPTION CHARGES	Local	Foreigner	
		Tsh	Usd	
	less than 10 samples	150,000	150	
	more than 10 samples	250,000	200	
SAMPLING	For entrepreneurs	50,000	25	
	Postmortem sample	200,000	200	
	Crime scenes sample for DNA:-			
	Within working hours	200,000	200	
	Out of working hours	400,000	350	
SWABBING	Microbiological	50,000	25	
	Buccal	50,000	25	
	Full analysis of Raw sample	per analysis matrix		
	Full analysis of raw sample with	per matrix plus 30%		
	participation of external analyst			
RESEARCH		Analysis based on the		
	Processed sample for instrumental analysis	instrument		
	Collaborative research	bilateral agreement		
	Conaborative research	between par	en parties	
	Training and field:-			
		Charges will depend on		
TRAINING AND	Training to other institutions	type, course conten	content	
FIELD, CONSULTATION, OR STUDY TOUR	Truming to other institutions	and agreeme	ent between	
		the parties in	e parties involved.	
	Training offered within institute	100,000 per	50 per	
		person per	person	
		day	per day	



Internship		200,000	100	
Attachment		500,000	250	
Field for student				
Certificates and Diploma	80,000		40	
Bachelor	100,000		50	
Consultation:-				
Local service 250,000		Tsh per day		
Foreigner service	500usd	l per day		
Study Tour:-				
Primary & Secondary	50,000T	0,000Tsh for public per day 0,000Tsh for private per day 0,000Tsh		
Primary & Secondary	100,000			
College & University	150,000			
Distilled water	5,000Ts	h per 1L		

SUBSIDIZED PRICE FOR TRADITIONAL MEDICINES

SAMPLE CATEGORY	TYPE OF SAMPLE	TYPE OF ANALYSIS	Cost Tsh
TRADITIONAL MEDICINES		Physical examination	10,000
		Chemical analysis Pesticide residues and chemical	30,000
		compositions by GC-MS	70,000
		Metals by MP-AES (Pb, Cr, As, Cd)	100,000
		Aflatoxins	50,000
		Microbiology	80,000

CHIEF GOVERNMENT CHEMIST LABORATORY AGENCY



146 BUBUBU ROAD, P.O.BOX 759 Urban West, Zanzibar



info@cgcla.go.tz www.cgcla.go.tz

